

CERTIFICATE

No. U6 088072 0053 Rev. 00

Holder of Certificate: **AOK Industrial Company Limited**

1/F of 1#Building
East Block of 3/F of Building 1
And 2/F of Building 4, ST George's Science and Technology
Industrial Park
Northside of Xinyu Road
Xiangshan Community
Xinqiao Street Baoan District
518000 Shenzhen, Guangdong
PEOPLE'S REPUBLIC OF CHINA

Certification Mark:




Product: **Luminaires for road and street lighting
(LED Street Light)**

The product was voluntarily tested according to the listed standards. The product can be marked with the certification mark shown above. It is not permitted to alter the certification mark in any way. In addition, the certificate holder must not transfer the certificate to third parties. All applicable requirements of the Testing, Certification, Validation and Verification Regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 64142255033301

Date, 2026-02-04



(Taylor Yao)

CERTIFICATE

No. U6 088072 0053 Rev. 00

Model(s):

AOK-50WiLH-NV-A5-00-XXYY-BN-P;
AOK-60WiLH-NV-A5-00-XXYY-BN-P;
AOK-70WiLH-NV-A5-00-XXYY-BN-P;
AOK-80WiLH-NV-A5-00-XXYY-BN-P;
AOK-90WiLH-NV-A5-00-XXYY-BN-P;
AOK-100WiLH-NV-A5-00-XXYY-BN-P;
AOK-50WiLH-NV-L3-00-XXYY-BN-P;
AOK-60WiLH-NV-L3-00-XXYY-BN-P;
AOK-70WiLH-NV-L3-00-XXYY-BN-P;
AOK-80WiLH-NV-L3-00-XXYY-BN-P;
AOK-90WiLH-NV-L3-00-XXYY-BN-P;
AOK-100WiLH-NV-L3-00-XXYY-BN-P;
AOK-110WiLH-NV-A5-00-XXYY-BN-P;
AOK-120WiLH-NV-A5-00-XXYY-BN-P;
AOK-130WiLH-NV-A5-00-XXYY-BN-P;
AOK-140WiLH-NV-A5-00-XXYY-BN-P;
AOK-150WiLH-NV-A5-00-XXYY-BN-P;
AOK-110WiLH-NV-L3-00-XXYY-BN-P;
AOK-120WiLH-NV-L3-00-XXYY-BN-P;
AOK-130WiLH-NV-L3-00-XXYY-BN-P;
AOK-140WiLH-NV-L3-00-XXYY-BN-P;
AOK-150WiLH-NV-L3-00-XXYY-BN-P
(‘XX’ stands for CCT of LED, can be 27, 30, 40, 50, 57 and 65, 27=2700K, 30=3000K, 40=4000K, 50=5000K, 57=5700K, 65=6500K;
‘YY’ stands for CRI (color rendering index), can be 70, 80 and 90, 70=Ra: 70, 80=Ra: 80, 90=Ra: 90;
‘BN’ stands for beam angles Type, can be T201, T211, T221, T231, T252, T301, T311, T312, T321, T331, T401, T411 and T502, T201=85°*150°, T211=110°*155°, T221=75°*150°, T231=100°*160°, T252=85°*160°, T301=100°*160°, T311=90°*150°, T312=85°*155°, T321=100°*145°, T331=120°*160°, T401=125°*160°, T411=115°*145°, T502=150°*150°)

CERTIFICATE

No. U6 088072 0053 Rev. 00

Brand Name: AOK



Parameters:

Rated Voltage: 220-240VAC
Rated Frequency: 50/60Hz
Rated Power: See below table for details
Protection Class: I
Degree of Protection: IP66
Blue Light Hazard Group: BLH-B
ta: 55°C

Tested according to: EN 60598-2-3:2003/A1:2011
EN IEC 60598-1:2024/A11:2024

Production Facility(ies): 088072



CERTIFICATE

No. U6 088072 0053 Rev. 00

Model No.	Rated Power (W)
AOK-50WiLH-NV-A5-00-XXYY-BN-P	50
AOK-60WiLH-NV-A5-00-XXYY-BN-P	60
AOK-70WiLH-NV-A5-00-XXYY-BN-P	70
AOK-80WiLH-NV-A5-00-XXYY-BN-P	80
AOK-90WiLH-NV-A5-00-XXYY-BN-P	90
AOK-100WiLH-NV-A5-00-XXYY-BN-P	100
AOK-50WiLH-NV-L3-00-XXYY-BN-P	50
AOK-60WiLH-NV-L3-00-XXYY-BN-P	60
AOK-70WiLH-NV-L3-00-XXYY-BN-P	70
AOK-80WiLH-NV-L3-00-XXYY-BN-P	80
AOK-90WiLH-NV-L3-00-XXYY-BN-P	90
AOK-100WiLH-NV-L3-00-XXYY-BN-P	100
AOK-110WiLH-NV-A5-00-XXYY-BN-P	110
AOK-120WiLH-NV-A5-00-XXYY-BN-P	120
AOK-130WiLH-NV-A5-00-XXYY-BN-P	130
AOK-140WiLH-NV-A5-00-XXYY-BN-P	140
AOK-150WiLH-NV-A5-00-XXYY-BN-P	150
AOK-110WiLH-NV-L3-00-XXYY-BN-P	110
AOK-120WiLH-NV-L3-00-XXYY-BN-P	120
AOK-130WiLH-NV-L3-00-XXYY-BN-P	130
AOK-140WiLH-NV-L3-00-XXYY-BN-P	140
AOK-150WiLH-NV-L3-00-XXYY-BN-P	150