


## 室内灯具光度数据


|                                                                            |                      |       |
|----------------------------------------------------------------------------|----------------------|-------|
| 实测参数: U:219.4V I:0.6537A P:145.7W PF:0.9842 Freq:60.01Hz 实检光通:23599.8x1 lm |                      |       |
| 灯具名称: HBA                                                                  | 灯具类型: HIGH BAY LIGHT | 灯具重量: |
| 灯具规格: AOK-150WHBA-L2-00-5080-90D-P                                         | 外型尺寸:                | 测试编号: |
| 制造厂商: AOK                                                                  | 发光口面: 180*180mm      | 遮光角:  |

| 光源数据      |         | 光度数据     |       |                         |           | 光效: 161.98 lm/W |
|-----------|---------|----------|-------|-------------------------|-----------|-----------------|
| 型号        | 2835    | 峰值光强(cd) | 12479 | S/MH(C0/180)            | 1.18      |                 |
| 标称功率(W)   | 150     | 灯具效率(%)  | 100.0 | S/MH(C90/270)           | 1.11      |                 |
| 额定电源电压(V) | 220     | 总光通量(lm) | 23600 | $\eta$ UP, DN(C0-180)   | 0.0, 49.8 |                 |
| 额定光通量(lm) | 23599.8 | CIE分类    | 直接    | $\eta$ UP, DN(C180-360) | 0.0, 50.2 |                 |
| 灯具内光源数(只) | 1       | 上射光通比(%) | 0.0   | CIBSE SHR NOM           | 1.00      |                 |
| 实测电源电压(V) | 220     | 下射光通比(%) | 100.0 | CIBSE SHR MAX           | 1.15      |                 |

室内灯具配光曲线



空间等照度曲线(单位:lx)



C角度范围: 0度 - 360度  
C角度间隔: 15.0度  
测试速度: 快速  
环境温度: 25.3℃  
测试人员:  
测试日期: 2021-10-12

Y角度范围: 0度 - 180度  
Y角度间隔: 1.0度  
测试系统: 远方(EVERFINE)GO-2000A\_V1系统 V2.0.362  
环境湿度: 65.0%  
测试距离: 7.682米 [K=1.0000]  
备注:

## 灯具环带光通量

环带光通量:

| $\gamma$ | C0       | C45   | C90   | C135  | C180  | C225  | C270  | C315  | $\gamma(^{\circ})$ | $\Phi$ 环 | $\Phi$ 总 | %lum, lamp |
|----------|----------|-------|-------|-------|-------|-------|-------|-------|--------------------|----------|----------|------------|
| 10       | 1173     | 1175  | 1193  | 1219  | 1234  | 1224  | 1199  | 1174  | 0- 10              | 1164     | 1164     | 4.93, 4.93 |
| 20       | 1053     | 1052  | 1075  | 1111  | 1148  | 1125  | 1084  | 1047  | 10- 20             | 3234     | 4397     | 18.6, 18.6 |
| 30       | 886.9    | 882.6 | 899.5 | 928.5 | 979.4 | 948.9 | 908.2 | 870.7 | 20- 30             | 4617     | 9015     | 38.2, 38.2 |
| 40       | 666.6    | 660.5 | 666.1 | 677.3 | 724.1 | 698.8 | 675.0 | 646.8 | 30- 40             | 4975     | 13990    | 59.3, 59.3 |
| 50       | 428.7    | 425.7 | 421.7 | 417.9 | 439.7 | 428.4 | 432.1 | 418.2 | 40- 50             | 4207     | 18197    | 77.1, 77.1 |
| 60       | 230.6    | 234.6 | 230.8 | 224.7 | 220.3 | 218.9 | 232.1 | 235.6 | 50- 60             | 2854     | 21050    | 89.2, 89.2 |
| 70       | 114.2    | 116.7 | 114.0 | 110.1 | 99.39 | 102.1 | 112.5 | 120.4 | 60- 70             | 1629     | 22679    | 96.1, 96.1 |
| 80       | 41.61    | 42.65 | 39.15 | 37.51 | 32.57 | 33.98 | 38.07 | 42.60 | 70- 80             | 764.6    | 23444    | 99.3, 99.3 |
| 90       | 0        | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 80- 90             | 156.0    | 23600    | 100, 100   |
| 100      | 0        | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 90-100             | 0        | 23600    | 100, 100   |
| 110      | 0        | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 100-110            | 0        | 23600    | 100, 100   |
| 120      | 0        | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 110-120            | 0        | 23600    | 100, 100   |
| 130      | 0        | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 120-130            | 0        | 23600    | 100, 100   |
| 140      | 0        | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 130-140            | 0        | 23600    | 100, 100   |
| 150      | 0        | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 140-150            | 0        | 23600    | 100, 100   |
| 160      | 0        | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 150-160            | 0        | 23600    | 100, 100   |
| 170      | 0        | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 160-170            | 0        | 23600    | 100, 100   |
| 180      | 0        | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 170-180            | 0        | 23600    | 100, 100   |
| 单位:°     | 光强:×10cd |       |       |       |       |       |       |       |                    | 单位:lm    |          |            |

锥面光通量(90度): 16244 lm

%lum = 68.8%

%lamp = 68.8%

锥面光通量(120度): 21050 lm

%lum = 89.2%


%lamp = 89.2%

C角度范围: 0度 - 360度  
 C角度间隔: 15.0度  
 测试速度: 快速  
 环境温度: 25.3℃  
 测试人员:  
 测试日期: 2021-10-12

$\gamma$ 角度范围: 0度 - 180度  
 $\gamma$ 角度间隔: 1.0度  
 测试系统: 远方 (EVERFINE) GO-2000A\_V1系统 V2.0.362  
 环境湿度: 65.0%  
 测试距离: 7.682米 [K=1.0000]  
 备注:

## 灯具亮度限制曲线

|                                                                            |                     |       |
|----------------------------------------------------------------------------|---------------------|-------|
| 实测参数: U:219.4V I:0.6537A P:145.7W PF:0.9842 Freq:60.01Hz 实检光通:23599.8x1 lm |                     |       |
| 灯具名称: HBA                                                                  | 灯具类型:HIGH BAY LIGHT | 灯具重量: |
| 灯具规格:AOK-150WHBA-L2-00-5080-90D-P                                          | 外型尺寸:               | 测试编号: |
| 制造厂商: AOK                                                                  | 发光口面:180*180mm      | 遮光角:  |



| 平均亮度值 cd/(m2)      |        |         |
|--------------------|--------|---------|
| $\gamma(^{\circ})$ | C0/180 | C90/270 |
| 85                 | 37548  | 36259   |
| 80                 | 60427  | 56262   |
| 75                 | 72403  | 70197   |
| 70                 | 84168  | 83184   |
| 65                 | 97356  | 97670   |
| 60                 | 116308 | 115202  |
| 55                 | 141729 | 137577  |
| 50                 | 168185 | 163696  |
| 45                 | 194315 | 190535  |


C角度范围: 0度 - 360度  
C角度间隔: 15.0度  
测试速度: 快速  
环境温度: 25.3℃  
测试人员:  
测试日期: 2021-10-12

$\gamma$ 角度范围: 0度 - 180度  
 $\gamma$ 角度间隔: 1.0度  
测试系统: 远方 (EVERFINE) GO-2000A\_V1系统 V2.0.362  
环境湿度: 65.0%  
测试距离: 7.682米 [K=1.0000]  
备注:

## 工作面利用系数和灯具概算曲线

|                                                                            |                      |       |
|----------------------------------------------------------------------------|----------------------|-------|
| 实测参数: U:219.4V I:0.6537A P:145.7W PF:0.9842 Freq:60.01Hz 实检光通:23599.8x1 lm |                      |       |
| 灯具名称: HBA                                                                  | 灯具类型: HIGH BAY LIGHT | 灯具重量: |
| 灯具规格: AOK-150WHBA-L2-00-5080-90D-P                                         | 外型尺寸:                | 测试编号: |
| 制造厂商: AOK                                                                  | 发光口面: 180*180mm      | 遮光角:  |

| 顶棚   | 80%           |      |      | 70%  |      |      | 50%  |      |      | 30%  |      |      | 10%  |      |      | 0    |
|------|---------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 墙面   | 50%           | 30%  | 10%  | 50%  | 30%  | 10%  | 50%  | 30%  | 10%  | 50%  | 30%  | 10%  | 50%  | 30%  | 10%  | 0    |
| 地板   | 20%           |      |      | 20%  |      |      | 20%  |      |      | 20%  |      |      | 20%  |      |      | 0    |
| 室空间比 | 工 作 面 利 用 系 数 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
| 0.0  | 1.19          | 1.19 | 1.19 | 1.16 | 1.16 | 1.16 | 1.11 | 1.11 | 1.11 | 1.06 | 1.06 | 1.06 | 1.02 | 1.02 | 1.02 | 1.00 |
| 1.0  | 1.07          | 1.03 | 1.00 | 1.05 | 1.01 | .98  | 1.00 | .98  | .95  | .97  | .94  | .92  | .93  | .91  | .90  | .88  |
| 2.0  | .95           | .90  | .85  | .94  | .88  | .84  | .90  | .86  | .82  | .87  | .83  | .80  | .84  | .81  | .78  | .76  |
| 3.0  | .85           | .78  | .73  | .84  | .77  | .72  | .81  | .76  | .71  | .78  | .74  | .70  | .76  | .72  | .69  | .67  |
| 4.0  | .77           | .69  | .63  | .76  | .69  | .63  | .73  | .67  | .62  | .71  | .66  | .61  | .69  | .64  | .61  | .59  |
| 5.0  | .70           | .62  | .56  | .69  | .61  | .56  | .67  | .60  | .55  | .65  | .59  | .55  | .63  | .58  | .54  | .52  |
| 6.0  | .64           | .56  | .50  | .63  | .55  | .50  | .61  | .54  | .49  | .59  | .53  | .49  | .58  | .53  | .48  | .47  |
| 7.0  | .58           | .50  | .45  | .57  | .50  | .45  | .56  | .49  | .44  | .55  | .49  | .44  | .53  | .48  | .44  | .42  |
| 8.0  | .54           | .46  | .40  | .53  | .46  | .40  | .52  | .45  | .40  | .50  | .44  | .40  | .49  | .44  | .40  | .38  |
| 9.0  | .50           | .42  | .37  | .49  | .42  | .37  | .48  | .41  | .37  | .47  | .41  | .36  | .46  | .40  | .36  | .35  |
| 10.0 | .46           | .39  | .34  | .45  | .38  | .34  | .45  | .38  | .34  | .44  | .38  | .33  | .43  | .37  | .33  | .32  |



C角度范围: 0度 - 360度  
 C角度间隔: 15.0度  
 测试速度: 快速  
 环境温度: 25.3℃  
 测试人员:  
 测试日期: 2021-10-12

γ角度范围: 0度 - 180度  
 γ角度间隔: 1.0度  
 测试系统: 远方 (EVERFINE) GO-2000A\_V1系统 V2.0.362  
 环境湿度: 65.0%  
 测试距离: 7.682米 [K=1.0000]  
 备注:

## 墙面和天花板利用系数

|                                                                            |                     |       |
|----------------------------------------------------------------------------|---------------------|-------|
| 实测参数: U:219.4V I:0.6537A P:145.7W PF:0.9842 Freq:60.01Hz 实检光通:23599.8x1 lm |                     |       |
| 灯具名称: HBA                                                                  | 灯具类型:HIGH BAY LIGHT | 灯具重量: |
| 灯具规格:AOK-150WHBA-L2-00-5080-90D-P                                          | 外型尺寸:               | 测试编号: |
| 制造厂商: AOK                                                                  | 发光口面:180*180mm      | 遮光角:  |

|      |               |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
|------|---------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|---|
| 顶棚   | 80%           |      |      | 70%  |      |      | 50%  |      |      | 30%  |      |      | 10%  |      |      | 0 |
| 墙面   | 50%           | 30%  | 10%  | 50%  | 30%  | 10%  | 50%  | 30%  | 10%  | 50%  | 30%  | 10%  | 50%  | 30%  | 10%  | 0 |
| 地板   | 20%           |      |      | 20%  |      |      | 20%  |      |      | 20%  |      |      | 20%  |      |      | 0 |
| 室空间比 | 墙 壁 面 利 用 系 数 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 0.0  |               |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 1.0  | .254          | .145 | .046 | .247 | .141 | .045 | .234 | .134 | .043 | .222 | .128 | .041 | .211 | .123 | .039 |   |
| 2.0  | .245          | .134 | .041 | .239 | .132 | .041 | .227 | .126 | .039 | .217 | .122 | .038 | .207 | .117 | .037 |   |
| 3.0  | .231          | .123 | .037 | .226 | .121 | .036 | .216 | .117 | .036 | .207 | .113 | .035 | .198 | .110 | .034 |   |
| 4.0  | .217          | .113 | .033 | .212 | .111 | .033 | .203 | .108 | .032 | .195 | .105 | .032 | .188 | .102 | .031 |   |
| 5.0  | .203          | .104 | .030 | .199 | .102 | .030 | .191 | .100 | .029 | .184 | .097 | .029 | .177 | .095 | .028 |   |
| 6.0  | .191          | .096 | .027 | .187 | .094 | .027 | .180 | .092 | .027 | .174 | .090 | .027 | .168 | .088 | .026 |   |
| 7.0  | .179          | .089 | .025 | .176 | .088 | .025 | .170 | .086 | .025 | .164 | .084 | .024 | .159 | .083 | .024 |   |
| 8.0  | .169          | .083 | .023 | .166 | .082 | .023 | .161 | .080 | .023 | .155 | .079 | .023 | .151 | .077 | .023 |   |
| 9.0  | .160          | .077 | .022 | .157 | .077 | .021 | .152 | .075 | .021 | .147 | .074 | .021 | .143 | .073 | .021 |   |
| 10.0 | .151          | .072 | .020 | .149 | .072 | .020 | .144 | .071 | .020 | .140 | .070 | .020 | .136 | .068 | .020 |   |

|      |               |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
|------|---------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|---|
| 顶棚   | 80%           |      |      | 70%  |      |      | 50%  |      |      | 30%  |      |      | 10%  |      |      | 0 |
| 墙面   | 50%           | 30%  | 10%  | 50%  | 30%  | 10%  | 50%  | 30%  | 10%  | 50%  | 30%  | 10%  | 50%  | 30%  | 10%  | 0 |
| 地板   | 20%           |      |      | 20%  |      |      | 20%  |      |      | 20%  |      |      | 20%  |      |      | 0 |
| 室空间比 | 天 花 板 利 用 系 数 |      |      |      |      |      |      |      |      |      |      |      |      |      |      |   |
| 0.0  | .190          | .190 | .190 | .163 | .163 | .163 | .111 | .111 | .111 | .064 | .064 | .064 | .020 | .020 | .020 |   |
| 1.0  | .176          | .157 | .139 | .151 | .134 | .119 | .103 | .092 | .083 | .059 | .054 | .048 | .019 | .017 | .016 |   |
| 2.0  | .166          | .132 | .104 | .142 | .114 | .090 | .097 | .079 | .063 | .056 | .046 | .037 | .018 | .015 | .012 |   |
| 3.0  | .157          | .114 | .080 | .135 | .098 | .069 | .092 | .068 | .049 | .053 | .040 | .029 | .017 | .013 | .009 |   |
| 4.0  | .149          | .100 | .063 | .128 | .087 | .055 | .088 | .060 | .039 | .051 | .035 | .023 | .016 | .012 | .008 |   |
| 5.0  | .141          | .090 | .051 | .121 | .077 | .045 | .084 | .054 | .031 | .048 | .032 | .019 | .016 | .010 | .006 |   |
| 6.0  | .134          | .081 | .042 | .116 | .070 | .037 | .080 | .049 | .026 | .046 | .029 | .016 | .015 | .009 | .005 |   |
| 7.0  | .128          | .074 | .036 | .110 | .064 | .031 | .076 | .045 | .022 | .044 | .026 | .013 | .014 | .009 | .004 |   |
| 8.0  | .122          | .068 | .031 | .105 | .059 | .027 | .073 | .041 | .019 | .042 | .024 | .011 | .014 | .008 | .004 |   |
| 9.0  | .116          | .063 | .027 | .100 | .055 | .023 | .070 | .038 | .017 | .040 | .023 | .010 | .013 | .007 | .003 |   |
| 10.0 | .111          | .059 | .024 | .096 | .051 | .021 | .067 | .036 | .015 | .039 | .021 | .009 | .013 | .007 | .003 |   |

C角度范围: 0度 - 360度  
C角度间隔: 15.0度  
测试速度: 快速  
环境温度: 25.3℃  
测试人员:  
测试日期: 2021-10-12

γ角度范围: 0度 - 180度  
γ角度间隔: 1.0度  
测试系统: 远方 (EVERFINE) GO-2000A\_V1系统 V2.0.362  
环境湿度: 65.0%  
测试距离: 7.682米 [K=1.0000]  
备注:

UGR(Unified Glare Rating)数据表

|                                                                            |                       |      |                      |      |      |                     |      |      |      |      |
|----------------------------------------------------------------------------|-----------------------|------|----------------------|------|------|---------------------|------|------|------|------|
| 实测参数: U:219.4V I:0.6537A P:145.7W PF:0.9842 Freq:60.01Hz 实检光通:23599.8x1 lm |                       |      |                      |      |      |                     |      |      |      |      |
| 灯具名称: HBA                                                                  |                       |      | 灯具类型: HIGH BAY LIGHT |      |      | 灯具重量:               |      |      |      |      |
| 灯具规格: AOK-150WHBA-L2-00-5080-90D-P                                         |                       |      | 外型尺寸:                |      |      | 测试编号:               |      |      |      |      |
| 制造厂商: AOK                                                                  |                       |      | 发光口面: 180*180mm      |      |      | 遮光角:                |      |      |      |      |
| 反射比: 天花板                                                                   | 0.7                   | 0.7  | 0.5                  | 0.5  | 0.3  | 0.7                 | 0.7  | 0.5  | 0.5  | 0.3  |
| 墙面                                                                         | 0.5                   | 0.3  | 0.5                  | 0.3  | 0.3  | 0.5                 | 0.3  | 0.5  | 0.3  | 0.3  |
| 工作面                                                                        | 0.2                   | 0.2  | 0.2                  | 0.2  | 0.2  | 0.2                 | 0.2  | 0.2  | 0.2  | 0.2  |
| 房间尺寸                                                                       | 交叉 (Viewed crosswise) |      |                      |      |      | 向前 (Viewed endwise) |      |      |      |      |
| x = 2H y = 2H                                                              | 18.4                  | 19.8 | 18.7                 | 20.0 | 20.2 | 18.2                | 19.6 | 18.5 | 19.8 | 20.0 |
| 3H                                                                         | 19.2                  | 20.4 | 19.5                 | 20.6 | 20.8 | 18.9                | 20.2 | 19.2 | 20.4 | 20.6 |
| 4H                                                                         | 19.4                  | 20.6 | 19.7                 | 20.8 | 21.1 | 19.2                | 20.3 | 19.5 | 20.6 | 20.8 |
| 6H                                                                         | 19.6                  | 20.7 | 19.9                 | 21.0 | 21.2 | 19.3                | 20.4 | 19.6 | 20.7 | 20.9 |
| 8H                                                                         | 19.6                  | 20.7 | 20.0                 | 20.9 | 21.2 | 19.3                | 20.4 | 19.7 | 20.7 | 21.0 |
| 12H                                                                        | 19.6                  | 20.6 | 20.0                 | 20.9 | 21.2 | 19.3                | 20.3 | 19.7 | 20.6 | 20.9 |
| 4H 2H                                                                      | 18.7                  | 19.9 | 19.0                 | 20.1 | 20.4 | 18.5                | 19.7 | 18.9 | 20.0 | 20.2 |
| 3H                                                                         | 19.6                  | 20.6 | 20.0                 | 20.9 | 21.2 | 19.4                | 20.4 | 19.8 | 20.7 | 21.0 |
| 4H                                                                         | 20.0                  | 20.9 | 20.4                 | 21.2 | 21.6 | 19.8                | 20.7 | 20.1 | 21.0 | 21.3 |
| 6H                                                                         | 20.3                  | 21.1 | 20.7                 | 21.4 | 21.8 | 20.0                | 20.8 | 20.4 | 21.2 | 21.5 |
| 8H                                                                         | 20.3                  | 21.1 | 20.7                 | 21.4 | 21.8 | 20.1                | 20.8 | 20.5 | 21.2 | 21.6 |
| 12H                                                                        | 20.3                  | 21.0 | 20.8                 | 21.4 | 21.8 | 20.1                | 20.8 | 20.5 | 21.1 | 21.5 |
| 8H 4H                                                                      | 20.1                  | 20.9 | 20.5                 | 21.2 | 21.6 | 19.9                | 20.6 | 20.3 | 21.0 | 21.4 |
| 6H                                                                         | 20.5                  | 21.1 | 20.9                 | 21.5 | 21.9 | 20.2                | 20.8 | 20.7 | 21.2 | 21.7 |
| 8H                                                                         | 20.6                  | 21.1 | 21.0                 | 21.5 | 22.0 | 20.3                | 20.9 | 20.8 | 21.3 | 21.7 |
| 12H                                                                        | 20.6                  | 21.1 | 21.1                 | 21.5 | 22.0 | 20.4                | 20.8 | 20.8 | 21.3 | 21.7 |
| 12H 4H                                                                     | 20.1                  | 20.8 | 20.5                 | 21.2 | 21.6 | 19.9                | 20.6 | 20.3 | 20.9 | 21.3 |
| 6H                                                                         | 20.5                  | 21.0 | 20.9                 | 21.4 | 21.9 | 20.2                | 20.8 | 20.7 | 21.2 | 21.6 |
| 8H                                                                         | 20.6                  | 21.1 | 21.1                 | 21.5 | 22.0 | 20.3                | 20.8 | 20.8 | 21.3 | 21.7 |
| 不同间隔布灯时, 观察者位置引起的UGR变化:                                                    |                       |      |                      |      |      |                     |      |      |      |      |
| S = 1.0H                                                                   | + 0.4 / - 0.6         |      |                      |      |      | + 0.4 / - 0.6       |      |      |      |      |
| 1.5H                                                                       | + 0.2 / - 0.3         |      |                      |      |      | + 0.2 / - 0.2       |      |      |      |      |
| 2.0H                                                                       | + 0.9 / - 0.8         |      |                      |      |      | + 0.9 / - 0.8       |      |      |      |      |

依据CIE Pub.117计算, 23600lm光源光通要进行修正( $81\log(F/F_0) = 11.0$ ).

C角度范围: 0度 - 360度  
C角度间隔: 15.0度  
测试速度: 快速  
环境温度: 25.3℃  
测试人员:  
测试日期: 2021-10-12

γ角度范围: 0度 - 180度  
γ角度间隔: 1.0度  
测试系统: 远方 (EVERFINE) GO-2000A\_V1系统 V2.0.362  
环境湿度: 65.0%  
测试距离: 7.682米 [K=1.0000]  
备注:

## UF利用系数表

|                                                                            |                      |       |
|----------------------------------------------------------------------------|----------------------|-------|
| 实测参数: U:219.4V I:0.6537A P:145.7W PF:0.9842 Freq:60.01Hz 实检光通:23599.8x1 lm |                      |       |
| 灯具名称: HBA                                                                  | 灯具类型: HIGH BAY LIGHT | 灯具重量: |
| 灯具规格: AOK-150WHBA-L2-00-5080-90D-P                                         | 外型尺寸:                | 测试编号: |
| 制造厂商: AOK                                                                  | 发光口面: 180*180mm      | 遮光角:  |


| 反 射 比 / REFLECTANCE        |                                                    |     |     |     |     |     |                     |     |     |         |
|----------------------------|----------------------------------------------------|-----|-----|-----|-----|-----|---------------------|-----|-----|---------|
| 天花板                        | 0.8                                                | 0.8 | 0.8 | 0.7 | 0.7 | 0.7 | 0.5                 | 0.5 | 0.5 | 0       |
| 墙壁                         | 0.7                                                | 0.5 | 0.3 | 0.7 | 0.5 | 0.3 | 0.7                 | 0.5 | 0.3 | 0       |
| 工作面                        | 0.2                                                | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2                 | 0.2 | 0.2 | 0       |
| 室形指数                       | 利用系数 UTILIZATION FACTORS(%) $k(RI) \times RCR = 5$ |     |     |     |     |     |                     |     |     |         |
| $k = 0.60$                 | 66                                                 | 56  | 50  | 65  | 56  | 50  | 64                  | 55  | 50  | 44      |
| 0.80                       | 76                                                 | 66  | 60  | 75  | 66  | 60  | 73                  | 65  | 59  | 53      |
| 1.00                       | 84                                                 | 74  | 68  | 83  | 74  | 68  | 81                  | 75  | 68  | 61      |
| 1.25                       | 90                                                 | 81  | 76  | 89  | 81  | 75  | 86                  | 79  | 74  | 68      |
| 1.50                       | 94                                                 | 86  | 81  | 93  | 86  | 80  | 90                  | 84  | 79  | 73      |
| 2.00                       | 100                                                | 93  | 88  | 98  | 92  | 87  | 95                  | 90  | 86  | 79      |
| 2.50                       | 103                                                | 97  | 92  | 101 | 96  | 91  | 98                  | 93  | 89  | 82      |
| 3.00                       | 106                                                | 100 | 96  | 104 | 99  | 95  | 100                 | 96  | 93  | 85      |
| 4.00                       | 109                                                | 105 | 101 | 107 | 103 | 99  | 103                 | 100 | 97  | 89      |
| 5.00                       | 111                                                | 107 | 104 | 109 | 105 | 102 | 104                 | 102 | 99  | 91      |
| ROOM INDEX                 | UF (总)                                             |     |     |     |     |     |                     |     |     | UF (直接) |
| 依据标准文件 DIN EN 13032-2 2004 |                                                    |     | 悬挂灯 |     |     |     | 安装距高比 SHRNOM = 1.25 |     |     |         |

C角度范围: 0度 - 360度  
 C角度间隔: 15.0度  
 测试速度: 快速  
 环境温度: 25.3℃  
 测试人员:  
 测试日期: 2021-10-12

γ角度范围: 0度 - 180度  
 γ角度间隔: 1.0度  
 测试系统: 远方 (EVERFINE) GO-2000A\_V1系统 V2.0.362  
 环境湿度: 65.0%  
 测试距离: 7.682米 [K=1.0000]  
 备注:

## 灯具等光强曲线

|                                                                            |                      |       |
|----------------------------------------------------------------------------|----------------------|-------|
| 实测参数: U:219.4V I:0.6537A P:145.7W PF:0.9842 Freq:60.01Hz 实检光通:23599.8x1 lm |                      |       |
| 灯具名称: HBA                                                                  | 灯具类型: HIGH BAY LIGHT | 灯具重量: |
| 灯具规格: AOK-150WHBA-L2-00-5080-90D-P                                         | 外型尺寸:                | 测试编号: |
| 制造厂商: AOK                                                                  | 发光口面: 180*180mm      | 遮光角:  |



C角度范围: 0度 - 360度  
C角度间隔: 15.0度  
测试速度: 快速  
环境温度: 25.3℃  
测试人员:  
测试日期: 2021-10-12


γ角度范围: 0度 - 180度  
γ角度间隔: 1.0度  
测试系统: 远方 (EVERFINE) GO-2000A\_V1系统 V2.0.362  
环境湿度: 65.0%  
测试距离: 7.682米 [K=1.0000]  
备注:



## 灯 具 有 效 平 均 照 度 图

|                                                                            |                      |       |
|----------------------------------------------------------------------------|----------------------|-------|
| 实测参数: U:219.4V I:0.6537A P:145.7W PF:0.9842 Freq:60.01Hz 实检光通:23599.8x1 lm |                      |       |
| 灯具名称: HBA                                                                  | 灯具类型: HIGH BAY LIGHT | 灯具重量: |
| 灯具规格: AOK-150WHBA-L2-00-5080-90D-P                                         | 外型尺寸:                | 测试编号: |
| 制造厂商: AOK                                                                  | 发光口面: 180*180mm      | 遮光角:  |

光通输出: 14923 lm




注: 曲线为灯具在不同投射距离下的照射区域及区域内平均照度。

C角度范围: 0度 - 360度  
 C角度间隔: 15.0度  
 测试速度: 快速  
 环境温度: 25.3℃  
 测试人员:  
 测试日期: 2021-10-12

γ角度范围: 0度 - 180度  
 γ角度间隔: 1.0度  
 测试系统: 远方 (EVERFINE) GO-2000A\_V1系统 V2.0.362  
 环境湿度: 65.0%  
 测试距离: 7.682米 [K=1.0000]  
 备注:

## 平面等照度曲线

|                                                                            |                      |       |
|----------------------------------------------------------------------------|----------------------|-------|
| 实测参数: U:219.4V I:0.6537A P:145.7W PF:0.9842 Freq:60.01Hz 实检光通:23599.8x1 lm |                      |       |
| 灯具名称: HBA                                                                  | 灯具类型: HIGH BAY LIGHT | 灯具重量: |
| 灯具规格: AOK-150WHBA-L2-00-5080-90D-P                                         | 外型尺寸:                | 测试编号: |
| 制造厂商: AOK                                                                  | 发光口面: 180*180mm      | 遮光角:  |



C角度范围: 0度 - 360度  
C角度间隔: 15.0度  
测试速度: 快速  
环境温度: 25.3℃  
测试人员:  
测试日期: 2021-10-12

Y角度范围: 0度 - 180度  
Y角度间隔: 1.0度  
测试系统: 远方 (EVERFINE) GO-2000A\_V1系统 V2.0.362  
环境湿度: 65.0%  
测试距离: 7.682米 [K=1.0000]  
备注:

## LED筒灯平均亮度报告

|                                                                            |                     |       |
|----------------------------------------------------------------------------|---------------------|-------|
| 实测参数: U:219.4V I:0.6537A P:145.7W PF:0.9842 Freq:60.01Hz 实检光通:23599.8x1 lm |                     |       |
| 灯具名称: HBA                                                                  | 灯具类型:HIGH BAY LIGHT | 灯具重量: |
| 灯具规格:AOK-150WHBA-L2-00-5080-90D-P                                          | 外型尺寸:               | 测试编号: |
| 制造厂商: AOK                                                                  | 发光口面:180*180mm      | 遮光角:  |


| 平均亮度      | 数值(cd/m2) |
|-----------|-----------|
| L横(65)av  | 92332     |
| L横(75)av  | 65984     |
| L横(85)av  | 33384     |
| L纵(65)av  | 97606     |
| L纵(75)av  | 69595     |
| L纵(85)av  | 34882     |
| L45(65)av | 96749     |
| L45(75)av | 68825     |
| L45(85)av | 34115     |

注:依据标准 GB/T 29293-2012 计算

C角度范围: 0度 - 360度  
C角度间隔: 15.0度  
测试速度: 快速  
环境温度:25.3℃  
测试人员:  
测试日期:2021-10-12

γ角度范围: 0度 - 180度  
γ角度间隔: 1.0度  
测试系统: 远方 (EVERFINE) GO-2000A\_V1系统 V2.0.362  
环境湿度:65.0%  
测试距离:7.682米 [K=1.0000]  
备注:

## 平面照度曲线



C角度范围: 0度 - 360度  
C角度间隔: 15.0度  
测试速度: 快速  
环境温度: 25.3℃  
测试人员:  
测试日期: 2021-10-12

Y角度范围: 0度 - 180度  
Y角度间隔: 1.0度  
测试系统: 远方 (EVERFINE) GO-2000A\_V1系统 V2.0.362  
环境湿度: 65.0%  
测试距离: 7.682米 [K=1.0000]  
备注:

## 光强分布数据表格

|                                                                            |                     |       |
|----------------------------------------------------------------------------|---------------------|-------|
| 实测参数: U:219.4V I:0.6537A P:145.7W PF:0.9842 Freq:60.01Hz 实检光通:23599.8x1 lm |                     |       |
| 灯具名称: HBA                                                                  | 灯具类型:HIGH BAY LIGHT | 灯具重量: |
| 灯具规格:AOK-150WHBA-L2-00-5080-90D-P                                          | 外型尺寸:               | 测试编号: |
| 制造厂商: AOK                                                                  | 发光口面:180*180mm      | 遮光角:  |

表--1

单位: x10cd

| C( DEG)<br>γ (DEG) | 0    | 15   | 30   | 45   | 60   | 75   | 90   | 105  | 120  | 135  | 150  | 165  | 180  | 195  | 210  | 225  | 240  | 255  | 270  |
|--------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 0                  | 1240 | 1240 | 1240 | 1240 | 1240 | 1240 | 1240 | 1240 | 1240 | 1240 | 1240 | 1240 | 1240 | 1240 | 1240 | 1240 | 1240 | 1240 | 1240 |
| 5                  | 1214 | 1214 | 1214 | 1216 | 1218 | 1223 | 1227 | 1232 | 1237 | 1241 | 1244 | 1247 | 1248 | 1247 | 1247 | 1243 | 1240 | 1235 | 1231 |
| 10                 | 1173 | 1172 | 1172 | 1175 | 1179 | 1186 | 1193 | 1202 | 1210 | 1219 | 1224 | 1229 | 1234 | 1232 | 1230 | 1224 | 1217 | 1207 | 1199 |
| 15                 | 1118 | 1117 | 1116 | 1119 | 1123 | 1132 | 1141 | 1153 | 1163 | 1175 | 1182 | 1190 | 1201 | 1198 | 1195 | 1184 | 1175 | 1161 | 1149 |
| 20                 | 1053 | 1051 | 1049 | 1052 | 1056 | 1066 | 1075 | 1088 | 1098 | 1111 | 1119 | 1128 | 1148 | 1143 | 1138 | 1125 | 1113 | 1097 | 1084 |
| 25                 | 976  | 974  | 971  | 974  | 976  | 986  | 995  | 1008 | 1016 | 1029 | 1037 | 1047 | 1073 | 1067 | 1061 | 1046 | 1034 | 1017 | 1003 |
| 30                 | 887  | 884  | 880  | 883  | 883  | 892  | 900  | 912  | 917  | 929  | 937  | 946  | 979  | 970  | 965  | 949  | 938  | 921  | 908  |
| 35                 | 783  | 781  | 776  | 778  | 776  | 783  | 789  | 800  | 800  | 811  | 817  | 827  | 862  | 852  | 847  | 833  | 823  | 808  | 797  |
| 40                 | 667  | 666  | 660  | 660  | 656  | 661  | 666  | 674  | 670  | 677  | 684  | 694  | 724  | 714  | 711  | 699  | 693  | 682  | 675  |
| 45                 | 545  | 545  | 539  | 538  | 531  | 535  | 540  | 544  | 534  | 541  | 547  | 556  | 576  | 568  | 569  | 560  | 556  | 551  | 550  |
| 50                 | 429  | 430  | 426  | 426  | 416  | 418  | 422  | 424  | 411  | 418  | 423  | 429  | 440  | 432  | 436  | 428  | 427  | 427  | 432  |
| 55                 | 322  | 325  | 324  | 322  | 313  | 313  | 316  | 318  | 304  | 311  | 314  | 315  | 317  | 313  | 316  | 313  | 311  | 314  | 322  |
| 60                 | 231  | 240  | 236  | 235  | 228  | 225  | 231  | 230  | 216  | 225  | 221  | 226  | 220  | 220  | 220  | 219  | 219  | 221  | 232  |
| 65                 | 163  | 173  | 170  | 169  | 165  | 160  | 165  | 163  | 155  | 161  | 155  | 161  | 149  | 152  | 152  | 153  | 153  | 154  | 165  |
| 70                 | 114  | 120  | 120  | 117  | 116  | 111  | 114  | 113  | 108  | 110  | 106  | 109  | 99.4 | 101  | 102  | 102  | 105  | 104  | 113  |
| 75                 | 74.3 | 77.6 | 76.8 | 74.6 | 73.6 | 72.2 | 72.8 | 71.5 | 68.7 | 69.4 | 67.1 | 68.2 | 62.3 | 62.9 | 63.3 | 63.7 | 66.3 | 66.7 | 71.3 |
| 80                 | 41.6 | 43.1 | 42.9 | 42.6 | 40.4 | 40.2 | 39.2 | 39.4 | 37.8 | 37.5 | 35.8 | 35.9 | 32.6 | 32.7 | 33.6 | 34.0 | 35.4 | 36.1 | 38.1 |
| 85                 | 13.0 | 12.7 | 13.0 | 12.6 | 13.0 | 12.3 | 12.7 | 12.1 | 12.1 | 11.5 | 11.4 | 11.1 | 10.3 | 10.5 | 10.6 | 10.8 | 11.0 | 11.4 | 11.7 |
| 90                 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 95                 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 100                | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 105                | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 110                | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 115                | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 120                | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 125                | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 130                | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 135                | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 140                | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 145                | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 150                | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 155                | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 160                | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 165                | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 170                | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 175                | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 180                | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |

C角度范围: 0度 - 360度

C角度间隔: 15.0度

测试速度: 快速

环境温度: 25.3℃

测试人员:

测试日期: 2021-10-12

γ角度范围: 0度 - 180度

γ角度间隔: 1.0度

测试系统: 远方(EVERFINE)GO-2000A\_V1系统 V2.0.362

环境湿度: 65.0%

测试距离: 7.682米 [K=1.0000]

备注:

## 光强分布数据表格

|                                                                            |                      |       |
|----------------------------------------------------------------------------|----------------------|-------|
| 实测参数: U:219.4V I:0.6537A P:145.7W PF:0.9842 Freq:60.01Hz 实检光通:23599.8x1 lm |                      |       |
| 灯具名称: HBA                                                                  | 灯具类型: HIGH BAY LIGHT | 灯具重量: |
| 灯具规格: AOK-150WHBA-L2-00-5080-90D-P                                         | 外型尺寸:                | 测试编号: |
| 制造厂商: AOK                                                                  | 发光口面: 180*180mm      | 遮光角:  |

表--2

单位: x10cd

| C (DEG)<br>γ (DEG) | 285  | 300  | 315  | 330  | 345  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|--------------------|------|------|------|------|------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| 0                  | 1240 | 1240 | 1240 | 1240 | 1240 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 5                  | 1225 | 1221 | 1216 | 1214 | 1211 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 10                 | 1189 | 1182 | 1174 | 1170 | 1165 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 15                 | 1136 | 1126 | 1116 | 1111 | 1106 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 20                 | 1068 | 1057 | 1047 | 1042 | 1036 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 25                 | 986  | 975  | 965  | 961  | 956  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 30                 | 890  | 880  | 871  | 869  | 864  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 35                 | 780  | 770  | 764  | 764  | 761  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 40                 | 659  | 650  | 647  | 651  | 648  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 45                 | 535  | 528  | 529  | 535  | 533  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 50                 | 420  | 415  | 418  | 426  | 423  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 55                 | 317  | 312  | 320  | 327  | 326  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 60                 | 229  | 227  | 236  | 242  | 244  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 65                 | 164  | 164  | 172  | 175  | 180  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 70                 | 113  | 116  | 120  | 123  | 126  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 75                 | 71.3 | 74.4 | 77.3 | 79.7 | 82.1 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 80                 | 39.1 | 40.9 | 42.6 | 44.2 | 44.4 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 85                 | 12.4 | 12.3 | 12.6 | 13.0 | 12.6 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 90                 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 95                 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 100                | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 105                | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 110                | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 115                | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 120                | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 125                | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 130                | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 135                | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 140                | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 145                | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 150                | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 155                | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 160                | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 165                | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 170                | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 175                | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 180                | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |

C角度范围: 0度 - 360度

C角度间隔: 15.0度

测试速度: 快速

环境温度: 25.3℃

测试人员:

测试日期: 2021-10-12

γ角度范围: 0度 - 180度

γ角度间隔: 1.0度

测试系统: 远方 (EVERFINE) GO-2000A\_V1系统 V2.0.362

环境湿度: 65.0%

测试距离: 7.682米 [K=1.0000]

备注: