

Ref. No.: AT18240SC300118
1 of 2 pages

ADK

Certified by

Jeff hu

Jeff Zhu
Manager

Jun. 14, 2023
Date

UK
CA

The UKCA mark may only be used if all relevant and effective UK Regulations are complied with

UK
CA

Shenzhen Anbotek Compliance Laboratory Limited

1/F, Building D, Sogood Science and Technology Park, Sanwei community,
Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.518102

Tel: (86)755-26066440

Fax: (86)755-26014772

Http://www.anbotech.com

Email: service@anbotek.com



Ref. No.: AT18240SC300118
Test Report
Number(s) 18240SC30011801
 2 of 2 pages

Model No.	Input voltage (V)	Power (W)
AOK-60WoH-NV-XX-XX-XXYY-BN-P	100-240VAC, 50/60Hz	60W
AOK-100WoH-NV-XX-XX-XXYY-BN-P	100-240VAC, 50/60Hz	100W
AOK-150WoH-NV-XX-XX-XXYY-BN-P	100-240VAC, 50/60Hz	150W
AOK-200WoH-NV-XX-XX-XXYY-BN-P	100-240VAC, 50/60Hz	200W
AOK-240WoH-NV-XX-XX-XXYY-BN-P	100-240VAC, 50/60Hz	240W

The first "XX" can be any letters to denote manufacturer of LED; and can be replaced by S5 to represent lumileds 5050 LED, or S3 to represent Seoul 3030-2D, or A3 to represent Smalite 3030;

second "XX" denotes dimming control; which can be as followings: 00=No sensor provided, PH=Plug-In photocontrol or NEMA Short-circuit cap provided, DV=dimming function;

The third "XX" can be 27, 30, 40, 50, 57 or 65 to denote colour temperature of LEDs, e.g. 27=2700K, 30=3000K, 40=4000K, 50=5000K, 57=5700K, 65=6500K;

"YY" can be 70, 80 or 90 to denote colour rendering index of LEDs, e.g. 70: CRI: 70, 80: CRI: 80, 90: CRI: 90; "BN" can be any letter or number to denote beam angles.



Jeff Hu

Jeff Zhu
Manager

UK
CA

The UKCA mark may only be used if all relevant and effective UK Regulations are complied with

UK
CA

Shenzhen Anbotek Compliance Laboratory Limited

1/F, Building D, Sogood Science and Technology Park, Sanwei community,
Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.518102

Tel: (86)755-26066440
Http://www.anbotech.com

Fax: (86)755-26014772
Email: service@anbotek.com

